References

- Agarwal B., Mehta A., (2008), Antiasthmatic activity of *Moringa oleifera* Lam; a clinical study,Indian J Pharmacol,40(1), 28-31.
- Alarcon DL., Martin MJ., Motilva VJ., (1994)., Ethnopharmacol,42,161–70.
- Archana P, Tandan SK, Chandra S, Lal J. (2005). Antipyretic and analgesicactivities of *Caesalpinia bonducella* seed kernel extract. Phytother Res,19, 376-381.
- Chapman ML. (1978). Peptic Ulcer-A Medicinal Perspective, Medical Clinics of North America,62(1),39-51.
- Chatterjee A, Prakashi SC. (2003) The treatise of Indian medicinal plants. New Delhi: CSIR,5,159-60.
- Dahiruv D., Onubiyiv J A., Umaru HA.,(2006), phytochemical screening and antiulcerogenic effect of *Moringa oleifera* aqueous leaf extract., Afri J of Tradi, Complementary and Alternative Medicines., 3(3), 70-75.
- Dahot MU.,(1998)., Antimicrobial activity of small protein of *Moringa oleifera* leaves., J of Islam Acad of Sci, 11(1),27-32.
- Debashish B., Kaushik B., Mrinalini B.,Russel JR., Ranjit KB., (2002) Indian J of Exp Bio,40(3),693-705.
- Debashish B., Kaushik B., Mrinalini B.,Russel JR., Ranjit KB., (2002) Indian J of Exp Bio,40(3),693-705.
- Devaraj VC., Mohammed A., Satya P.,(2007) Effect of Leaves and Fruits of *Moringa oleifera* on Gastric and Duodenal Ulcers., Pharma Bio,45(4),332-338.
- Ganachari MS., Shiv Kumar., (2004) Antiulcer properties of *Ziziphus jujube* Lam leaves extract in rats, J of Nat Rem,4(2),103-108.
- Gaur RL, Sahoo MK, Dixit S, Fatma N, Rastogi S, Kulshreshtha DK, Chatterjee RK, Murthy PK. (2008). Antifilarial activity of *Caesalpinia bonducella* against experimental filarial infections. Indian J Med Res,128, 65-70.
- Gupta M, Kanti MU, Ramanathan SK, Sivakumar T, Vamsi MLM. (2004). Antitumor activity and antioxidant status of *Caesalpinia bonducella* against Ehrlich ascites carcinoma in swiss albino mice. J Pharmacol Sci, 94, 177–184.
- Handa SS. Kaul MK. (1996). Supplement to Cultivation and Utilization of Medicinal Plants. RRL, Jammu-Tawi, pp 727-737.

- Iihami G, Kufrevioglu IO, Buyukokuroglu ME, (2004) Antioxidant, antimicrobial, antiulcer and analgesic activities of nettle (*Urtica dioica* L). J. of Ethnopharmacol; 90, 205-15.
- Indian Pharmacopeia. (1996),Vol-I and Vol-II. Delhi:Controllar of Publication; A277.
- Iyenger MA, Pendse GS. (1995). Anti-diarrheal activity of the nuts of *Caesalpinia bonducella* Flem. Indian J Phar, 27, 307.
- JA Tende., I Ezekiel., AAU Dikko .,ADT Goji.,(2011), Effect of Ethanolic Leaves Extract of *Moringa oleifera* on Blood Glucose Levels of Streptozocin-Induced Diabetics and Normoglycemic Wistar Rats, British J of Pharmacol and Toxico2(1), 1-4.
- Joel J. Heidelbaugh, Kathleen L. Goldberg, John M. Inadomi. Adverse Risks Associated With Proton Pump Inhibitors a Systematic Review,(2009), Gastroenterol Hepatol,5(10),725-34.
- Jyoti GJ., Pritam GB., Jaspalsinh P., Shaikh AH.,(2010)., Antidepressant activity of *Cordia dichotoma* leaf extracts in animal behaviour models : a research., Int J of Drug Form & Res,(1), 294-310.
- Khandelwal KR, Practical Pharmacognosy, (1994) New Delhi: Vallabh Prakashan;:146-48.
- Kirtikar K R, Basu B D. (1935) Indian Medicinal Plants. 11th edi., Orient enterprises, 3,1029-1030.
- Larson RA. (1998) The antioxidants of higher plants. Phytochem.,27,969–78.
- Mertz HR, Walsh JH. (1991) Peptic Ulcer Pathophysiology. Medical Clinics of North America, 75(4),799-814.
- Mukharjee PK, (2002) Quality Control of Herbal Drug An Approach to Evaluation of Botanicals, New Delhi: Business Horizons Pharmaceutical Publications,1,10-58.
- OECD, (2002). Acute oral toxic class method guideline 423 adopted 23.03.1996. In:Eleventh Addendum to the, OECD, guidelines for the resting of chemicals organization for economics co-operation, development, Paris, June, 2000.
- P.Dharmani., G Palit., (2006) Exploring Indian medicinal plants for antiulcer activity., Indian J Pharmacol,38(2),95-99.
- Parameshwar S, Srinivasan KK, Rao CM. (2002). Oral antidiabetic activities of different extracts of *Caesalpinia bonducella* seed kernels. Pharma Biol, 40(8), 590-595.

- Patwardhan BD. (1990) Search of immunomodulatory agent - a review. Indian Drugs, 28 (2),56-63.
- Paulo MP F., Ana FU C., Davi FF., Nara GC., Vania MM M., Maria GR Q., Alice MC M., Joaquim GM N., (2009), Larvicidal activity of the water extract of *Moringa oleifera* seeds against *Aedes aegypti* and its toxicity upon laboratory animals., An Acad Bras Cienc ,81(2),207-216.
- PDR for herbal medicines, (1993) 2nd edi. New Jersy: Medical economics compay,67-68.
- Peter SR, Tinto WF, Mclean S, Reynolds WF, Yut M. (1998). Cassane diterpens from *Caesalpinia bonducella*. Phytochem, 47(6), 1153-1155.
- Ping-Hsien Chuang.,Chi-Wei Lee., Jia-Ying Chou., M. Murugan., Bor-Jinn Shieh., Hueih-Min Chen., (2007)., Anti-fungal activity of crude extracts and essential oil of *Moringa oleifera* Lam., Bioreso Techn, 98, 232–236.
- Reena S.,Rahul DL.,Anurag M., Rajiv G.(2010) Role of *Cordia dichotoma* seeds and leaves extract in degenerative disorders Int J of Pharma Sci Rev and Res,2(1),21-24.
- S. F,de Andrase., Marivane L., Eros C., Vania FN., Valdir CF., Rivaldo N., (2007) Evaluation of the antiulcerogenic activity of *Maytenus robusta* (Celastraceae) in different experimental ulcer models, J of Ethano Pharmacol,113,252-257.
- Saeed MA, Sabir AW. (2001). Antibacterial activity of *Caesalpinia Bonducella* seeds. Fitoterapia, 72, 807-809.
- Sharma A, Bhardwaj S, Mann AS, Jain A, Kharya MD. (2007) Screening Methods of Antioxidant Activity, An Overview.Phcog Rev:: Jul-Dec,1,2, 232-8.
- Shazid Md. S., Khadiza P., IZ Shahid.,(2009) analgesic, antibacterial and cytotoxic activity of *Cordia dichotoma*., Pharmacolo online 2,195-202.
- Shirwaikar A, Ashwatha R, Mohapatra P, (2006), Antioxidant and Antiulcer activity of aqueous extract of a polyherbal formulation, Indian J of Exp Bio , 44,474-80.
- Shukla S, Mehta A, John J, Singh S, Mehta P, Vyas SP. (2009). Antioxidant activity and total phenolic content of ethanolic extract of *Caesalpinia bonducella* seeds. Food Chemical Toxicol, 47, 1848-1851.
- Shukla S, Mehta A, Mehta P, Vyas SP, Shukla S, Bajpai VK. (2008). Studies on anti-inflammatory, antipyretic and analgesic properties of Caesalpinia bonducella F. seed oil in experimental animal models.Food Chemical Toxicol, 39, 1805-18

- Spiro HM. (1991) Some Perspectives on Peptic Ulcer Medical Clinics of North America,75(4),941-6.
- Sudha P., Syed MBA., Sunil s., Dhamingi.,Gowda C.,(2010)., Immunomodulatory activity of methanolic leaf extract of *Moringa oleifera* in animals., Indian J Physiol Pharmacol ,54 (2), 133–140.
- Swami G., Nagpal N., Rahar S., Singh P., Porwal A., Nagpal M., Kapoor R., (2010)., Effect of aqueous leaves extract of *Cordia dichotoma* on blood glucose levels of normoglycemic & alloxan-induced diabetic wister rats.: Int J of Pharma Res and Dev.2(7),1-6.
- The wealth of india, (1988), Delhi:CSIR,426-429
- Thirupathi K., Sathesh KS., Goverdhan P., Ravikumar B., Krishna DR. and Krishna MG. (2007)., Hepatoprotective action of *Cordia dichotoma* against carbon tetrachloride induced liver injury in rats., Nig. J. Nat. Prod. and Med,11,37-40.
- Umamaheshwari M, Asokkumar K, Rathidevi R, Sivashanmugam AT, Subhadradevi V, Ravi TK, (2007) Antiulcer and *in-vitro* antioxidant activities of *Jasminum grandiflorum* L. J. of Ethnopharmacology,110,464-70.
- W. Grant Thompson., (2009) International Foundation for Functional Gastrointestinal Disorders,2
- Wassel G., El-Menshaw B., Saud A., Meharuna G. and El-Merzabani M. (1990) Screening of selected plant for Pyrrolizidine alkaloids and antitumor activity.Pharmazine,42,709
- Yang., Fu, P.P, Y.C, Xia, Q, Chou, M.C, Cui, Y.Y, Lin G. (2002) Pyrrolizidine alkaloids tumorigenic components in Chinese herbal medicines and dietary supplements. J of Food and Drug Analysis,10,4,198-11.